

dapro

*Safety inspires confidence.
Confidence inspires achievements.*



Eco Friendly Manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities are equipped with their own energy source on the roof. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

OEKO-TEX Standard 100


The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection. The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet. Dapro products are certified under the OEKO-TEX® Standard 100.

Flame-retardant Nano-Technology

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A separate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

Anti-static fabric technology

Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conductioning core surrounded by a sheath of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrounded environments according to end-use specifications. Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in an ungrounded situation as well as real world situations like standing in oil or being suspended by a fall arrest system.



Quality Testing & Traceability

Each Dapro product must pass stringent quality and safety tests. Most competitors only test their products with a Notified Body for international certification. All Dapro products are officially certified by Notified Bodies and mostly exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of our standard in-house tests below:

- > Water resistance and breathability of fabrics, leather, seams and garments
- > Fabric/leather elongation, tear and tensile strength
- > Leather chromium VI content and pH levels
- > Impact & perforation resistance on shoe hardware
- > Colour fastness
- > Shade variations
- > Shrinkage
- > Flame-retardant properties
- > Button pull testing
- > Pilling


Every Dapro product has a unique tracking code.

With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.

Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test is done with a manikin wearing our garment during a minimum 3 second flash fire. The test result gives a skin burn body prediction for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.



Certification Information



EN ISO
13688:2013
(EN 340:2003)

Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.



EN ISO
11612:2015
Classification

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes. Classifications:

- A = Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)
- B = Convective heat (class 1 - 3)
- C = Radiating heat (class 1 - 4)
- D = Molten aluminium (class 1 - 3)
- E = Molten Iron (class 1 - 3)
- F = Contact heat (class 1 - 3)



EN ISO
14116:2015
Index X

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015. Index:

- 1: hole may be formed, no flame spread, no flaming debris
- 2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s
- 3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s



EN 1149-5:
2008

Specifies material and design requirements for electrostatic dissipative protective clothing, used as part of a total earthed system, to avoid incendiary discharges. The requirements may not be sufficient in oxygen enriched flammable atmospheres. This European Standard is not applicable for protection against mains voltages.



EN ISO 11611:
2015
A1 Class X

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)



EN 13034:2005
+A1:2009
type X

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.



EN
343:2019

Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.

- A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness
- B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability
- C: Impact from above with high energy droplets (optional)



EN
14058: 2004

This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.

- A: Thermal resistance r_{ct} (class 1 - 3)
- B: Air permeability (class 1 - 3) (optional)
- C: Water vapour permeability (optional)
- D: Resistance water penetration (class 1 - 2) (optional)



IEC 61482-2:2009
Class X

Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods.

The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.

The arc protection class of materials and garments (Class 1 or Class 2), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.



IEC 61482-2:2018
Class X



EN ISO
20471:2013
+A1:2016

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for “high visibility clothing which is capable of visually signalling the user’s presence” and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)



EN 13758-2:2003+A1:2006

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.



ISO
20345:2011

Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.



EN 166

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.



Table of Contents

WORKWEAR

Dapro Worker 1 Coverall	6
Dapro Worker 2 Coverall	8
Dapro Toughwear 2 Coverall	16
Dapro Industry Coverall	17
Dapro Roughneck Coverall	21
Dapro Diamond Coverall	22
Dapro Spark Coverall	26
Dapro Spark Bib	30
Dapro Spark Jacket	33
Dapro Spark Pant	34
Dapro Rope Access Coverall	35
Dapro Globe-Tech Coverall	36
Dapro Globe-Tech Bib	39
Dapro Globe-Tech Jacket	40
Dapro Globe-Tech Polo	41
Dapro Globe-Tech Sweater	42
Dapro Globe-Tech Shirt	43
Dapro Globe-Tech Pant	44
Dapro Volt Hi-Vis Class 2 Coverall	45
Dapro Kneepads	46

OUTERWEAR

Dapro Access Jacket	47
Dapro Access Bomber Jacket	50
Dapro Access Basic Set	52
Dapro Access Vapor Set	56
Dapro Infinity Jacket	57
Dapro Infinity Jacket Reflect	60
Dapro Globe-Tech Parka	63
Dapro Volt 2 Parka	66
Dapro Spectre Softshell Jacket	68
Dapro PU Hydrolite Rainsuit	69
Dapro Protector Coverall Reflect	71
Dapro Protector Bodywarmer	72
Dapro Protector Bib	73
Dapro Protector Pant	74

Dapro Basic Fleece	82
Dapro Vapor Fleece	83
Dapro Defender Fleece	84
Dapro C9 Hood	86
Dapro C9 Hood over Hardhat	87
Dapro Offshore Bag	88

FOOTWEAR

Dapro Baron S3 C	91
Dapro Noble S3 C	94
Dapro Noble Welding S3 C	95
Dapro Elements 2 S3 C	96
Dapro Dauntless S3 C	97
Dapro Intrepid S3 C	98
Dapro Elements 4 S3 C	99
Dapro Driller C S3 C	100
Dapro Canyon C S3 C	101
Dapro Rigger C S3 C	103
Dapro Dauntless S3 C SubZero® Fur	105
Dapro Intrepid S3 C SubZero® Fur	107
Dapro Elements 4 S3 C Subzero® Fur	108
Dapro Canyon C S3 C Subzero® T400 Fur	109
Dapro Rigger C S3 C SubZero® T400 Fur	110

BASELAYER

Dapro Balaclava	113
Dapro Balaclava II	115
Dapro Polar Balaclava	116
Dapro Polar Balaclava II	117
Dapro Frost Multi-Use Neck Warmer	118
Dapro Frost Underwear Pant	119
Dapro Frost Underwear Shirt	120

EYEWEAR

Dapro Offshore Glasses	122
Dapro Offshore Glasses	123






WORKWEAR

Size guide Coverall/Jacket

SIZE	LENGHT (A)	CHEST (B)	WAIST (C)
42 32 3XS	158-167	76-96	70-90
44 34 2XS	158-170	78-98	71-91
46 36 XS	158-172	80-100	73-93
48 38 S	161-175	82-102	74-94
50 40 M	164-178	84-104	76-96
52 42	168-182	86-106	77-97
54 44 L	172-186	87-107	79-99
56 46	174-188	89-109	80-100
58 48 XL	177-191	91-111	82-102
60 50	179-193	93-113	83-103
62 52 2XL	182-196	94-114	85-105
64 54	183-202	96-116	88-108
66 56 3XL	184-202	97-117	91-111
68 58	185-202	99-119	94-114
70 60 4XL	187-202	100-120	96-116

Size guide Pants

SIZE	WAIST (C)	HIP (D)	INSEAM (E)
42 32 3XS	74-85	87-98	70-76
44 34 2XS	77-88	89-100	71-77
46 36 XS	80-91	91-102	72-78
48 38 S	83-94	93-104	74-80
50 40 M	86-97	95-106	75-81
52 42	88-100	97-109	76-82
54 44 L	91-103	100-112	79-85
56 46	94-106	103-115	80-86
58 48 XL	96-109	105-118	81-87
60 50	99-112	108-121	82-88
62 52 2XL	102-115	111-124	83-89
64 54	105-118	114-127	84-90
66 56 3XL	111-124	117-130	84-90
68 58	117-130	120-133	84-90
70 60 4XL	123-136	123-136	84-90



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



YKK® Two Way
Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee

Wearers side



Dapro Worker 1 Coverall

PRODUCT CODE: WWOR1CKULW-NB*

Fabric information



Features


- > Suitable for Tropical climate
- > Center front closed with concealed snap buttons
- > **Kneepad pockets**
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Elastic waistband for improved fit

Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall

PRODUCT CODE: WWOR1CKULW-RB*

Fabric information



Features


- > Suitable for Tropical climate
- > Center front closed with concealed snap buttons
- > **Kneepad pockets**
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Elastic waistband for improved fit

Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall

PRODUCT CODE: WWOR1CKULW-OR*

Fabric information



Features


- > Suitable for Tropical climate
- > Center front closed with concealed snap buttons
- > **Kneepad pockets**
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Elastic waistband for improved fit

Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall

PRODUCT CODE: WWOR1CKULW-RE*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front closed with concealed snap buttons
- > **Kneepad pockets**
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Elastic waistband for improved fit



Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Worker 1 Coverall

PRODUCT CODE: WWOR1CKULW-WG*

Fabric information



Features

- > Suitable for Tropical climate C
- > enter front closed with concealed snap buttons
- > **Kneepad pockets**
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Elastic waistband for improved fit



Available in colors:

Navy Blue *NB

Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Wolf Grey *WG



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Sizes in stock: EU 48-64

Available on request: EU 42-72

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB Royal Blue *RB Vibrant Orange *OR Flaming Red *RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-RB*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB

Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-OR*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-RE*

Fabric information



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:



Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Lower Arm
Striping



Adjustable
Hems/Cuffs

Dapro Toughwear 2 Coverall

PRODUCT CODE: WTOU2CK-NB*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN 1149-5:
2008



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Gas detector loop** on chest at right hand side
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Slanted tool pocket at right hand side leg
- > Back pocket at right hand side
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB

Arabian Blue *AB

Vibrant Orange *OR

Arabian Red *AR



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs

Sizes in stock: EU 48-64

Available on request: EU 42-72

Dapro Toughwear 2 Coverall

PRODUCT CODE: WTOU2CK-AB*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN 1149-5:
2008



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Gas detector loop** on chest at right hand side
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Slanted tool pocket at right hand side leg
- > Back pocket at right hand side
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB

Arabian Blue *AB

Vibrant Orange *OR

Arabian Red *AR



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs

Sizes in stock: EU 48-64

Available on request: EU 42-72

Dapro Toughwear 2 Coverall

PRODUCT CODE: WTOU2CK-OR*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN 1149-5:
2008



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Gas detector loop** on chest at right hand side
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Slanted tool pocket at right hand side leg
- > Back pocket at right hand side
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB

Arabian Blue *AB

Vibrant Orange *OR

Arabian Red *AR



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs

Sizes in stock: EU 48-64

Available on request: EU 42-72

Dapro Toughwear 2 Coverall

PRODUCT CODE: WTOU2CK-AR*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN 1149-5:
2008



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Tropical climate
- > Center front closed with 2-way concealed zipper and snap buttons
- > **Gas detector loop** on chest at right hand side
- > **Pen pocket** at left hand side sleeve
- > Chest pockets with safety flap and concealed zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Slanted tool pocket at right hand side leg
- > Back pocket at right hand side
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue *NB

Arabian Blue *AB

Vibrant Orange *OR

Arabian Red *AR



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs

Sizes in stock: EU 48-64

Available on request: EU 42-72

Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB*

C12 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3/SH/60



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



IEC 61482-
2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Continental climate
- > Center front closed with concealed snap buttons
- > Chest pockets with safety flap and concealed snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed snap button closure behind side pockets
- > Back pocket with safety flap and concealed snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > Fixed elastic waistband for perfect fit
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Navy Blue *NB

Sizes in stock: EU 44-72

Available on request: EU 44-72



Extensive
Bartacks



5 Thread
Safety Stitch



Single
Gas Loop

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Summer climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB

Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 44-72

Available on request: EU 44-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Summer climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue

*NB

Royal Blue

*RB

Vibrant Orange



*OR

Flaming Red

*RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-OR*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Summer climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB

Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 44-72

Available on request: EU 44-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Summer climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB



Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1





Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue

*NB

Royal Blue

*RB

Vibrant Orange

*OR

Flaming Red

*RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue

*NB

Royal Blue

*RB

Vibrant Orange

*OR

Flaming Red

*RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-OR*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB

Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-RE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Concealed zipper and snap button closure at center front
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve with safety flap and button closure
- > **Gas detector loops** at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Action armpits** to work comfortably above reach
- > **Adjustable cuffs and hems** with button closure
- > Adjustable elastic waist for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic FR snap button closure
- > Back pockets with safety flap and button closure
- > **Cargo pocket** with safety flap and concealed snap button closure
- > **Shaped kneepad pockets**
- > **Diamond tool pocket** at right hand side leg with safety flap and button closure
- > Reflective piping detail on sleeves, cargo pocket and back pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB



Royal Blue *RB

Vibrant Orange *OR

Flaming Red *RE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two
Way Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > **Pen pocket** with safety flap and button closure at left hand side sleeve
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap and concealed zipper closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and FR plastic snap button closure behind side pockets
- > **Shaped kneepad pockets**
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and concealed snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Cargo pocket** with safety flap and concealed double snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Navy Blue *NB

Royal Blue *RB

Oil Black *BL

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-RB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > **Pen pocket** with safety flap and button closure at left hand side sleeve
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap and concealed zipper closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and FR plastic snap button closure behind side pockets
- > **Shaped kneepad pockets**
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and concealed snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Cargo pocket** with safety flap and concealed double snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:



Navy Blue *NB

Royal Blue *RB

Oil Black *BL

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-BL*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > **Pen pocket** with safety flap and button closure at left hand side sleeve
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap and concealed zipper closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and FR plastic snap button closure behind side pockets
- > **Shaped kneepad pockets**
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and concealed snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Cargo pocket** with safety flap and concealed double snap button closure
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs and hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Navy Blue *NB

Royal Blue *RB

Oil Black *BL

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit



Shaped Knee

Dapro Spark Bib

PRODUCT CODE: WSPABUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Fly with zipper closure
- > Elastic braces with buckle closure
- > Center front chest pocket with safety flap and button closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with snap button closure behind side pockets
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Cargo pocket** with safety flap and double concealed snap button closure
- > Back pockets with fabric reinforcement, safety flap and concealed snap button closure
- > Elastic waistband for perfect fit
- > **Adjustable hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Navy Blue *NB

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper



Adjustable
Hems



Shaped Knee

Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1




Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > **Pen pocket** with safety flap and snap button closure at left hand side
- > Chest pockets with safety flap and concealed snap button closure
- > Ergonomically shaped arms
- > Weltd lower pockets with safety flap and concealed snap button closure
- > **Adjustable cuffs** with plastic FR snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams



Available in colors:

Navy Blue *NB

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper



Double
Gas Loop



Adjustable
Cuffs



Lower Arm
Striping

Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Continental climate
- > **Zipper fly** closure with concealed jeans button and hook and eye closure
- > Slanted side pockets with hook-and-loop closure
- > **Shaped kneepad pockets**
- > Back pockets with double fabric reinforcement, safety flap and concealed snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Cargo pocket** with safety flap and double concealed snap button closure
- > Elastic waistband for perfect fit
- > **Adjustable hems** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams



Available in colors:

Navy Blue *NB

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper



Adjustable
Hems



Shaped Knee

Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Continental climate
- > Metal free
- > Center front closed with concealed two-way **vislon zipper** and hook-and-loop closure
- > Extra high collar protects against heavy wind and rain
- > **Gas detector loops** below shoulder striping at both sides
- > Shaped arms for better fit
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic FR snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs** with plastic snap buttons
- > Reflective piping detail on sleeves
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Navy Blue *NB

Vibrant Orange *OR

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit

Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Suitable for Continental climate
- > Metal free
- > Center front closed with concealed two-way **vislon zipper** and hook-and-loop closure
- > Extra high collar protects against heavy wind and rain
- > **Gas detector loops** below shoulder striping at both sides
- > Shaped arms for better fit
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic FR snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs** with plastic snap buttons
- > Reflective piping detail on sleeves
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams



Available in colors:

Navy Blue *NB

Vibrant Orange *OR

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit

Dapro Rope Access Coverall

PRODUCT CODE: WROACIFR-OR*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features



- > Suitable for Continental climate
- > Metal free
- > Center front closed with concealed two-way **vislon zipper** and hook-and-loop closure
- > Extra high collar protects against heavy wind and rain
- > **Gas detector loops** below shoulder striping at both sides
- > Shaped arms for better fit
- > **Action armpits** for working comfortably above reach
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic FR snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Back pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs** with plastic snap buttons
- > Reflective piping detail on sleeves
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > DAPRO 5-thread safety stitch at crucial seams

Available in colors:

Vibrant Orange *OR

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs



Action
Armpit

Dapro Globe-Tech Coverall

PRODUCT CODE: WGTECHC-BL/HVYE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features


- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > Chest pockets with safety flap and zipper closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with snap button closure behind side pockets
- > Back pockets with safety flap and concealed snap button closure
- > **Cargo pocket** with safety flap and concealed button closure at LHS leg
- > Tool pocket with safety flap at right hand side leg
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs** with plastic snap buttons
- > Ergonomically **shaped kneepad pockets**
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK One Way
Zipper



Double
Gas Loop



Adjustable
Cuffs



Shaped Knee
Cuffs

Dapro Globe-Tech Bib

PRODUCT CODE: WGTECHB-BL/HVYE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Temperate climate
- > **Zipper fly** closure with concealed jeans button
- > Center front pocket with safety flap and concealed snap button closure
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with snap button closure behind side pockets
- > Back pockets with safety flap and concealed snap button closure
- > **Cargo pocket** with safety flap and concealed button closure at left hand side leg
- > Tool pocket with safety flap at right hand side leg
- > Elastic waistband for perfect fit
- > Adjustable elastic shoulder straps for perfect fit
- > Ergonomically **shaped kneepad pockets**
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Shaped Knee

Dapro Globe-Tech Jacket

PRODUCT CODE: WGTECHJ-BL/HVYE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1




Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > Center front closed with concealed zipper and rubber puller
- > Welding flap at center front closed with snap buttons
- > **Gas detector loops** on chest at both sides
- > Chest pockets with safety flap and snap buttons
- > Welted lower pockets with flap and snap buttons
- > **Adjustable cuffs** with plastic snap buttons
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHPO-BL/HVYE*

C22 Certification and fabric information



EN ISO
11612:2015
A1B1C1



IEC 61482-2:2018
APC1
ATPV=6.3cal/cm²



EN 13758-
2:2003+A1:2006




EN 1149-5:2018
EN1149-3:2004



Features

- > Suitable for Temperate climate
- > Center front closed with sewn buttons
- > Chest pocket at left hand side



Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch

Dapro Globe-Tech Sweater

PRODUCT CODE: WGTECHSW-BL/HVYE*

C23 Certification and fabric information



EN ISO
11612:2015
A1B1C1F1



IEC 61482-2:2018
APC1
ATPV=20.4cal/
cm²



EN 13758-
2:2003+A1:2006




EN 1149-5:2018
EN1149-3:2004



Features

- > Suitable for Temperate climate
- > Chest pocket at left hand side



Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch

Dapro Globe-Tech Shirt

PRODUCT CODE: WGTECHS-BL/HVYE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO 11611:
2015
A1 Class 1



EN 1149-5:
2008



EN 13034:2005
+A1:2009
Type 6



IEC 61482-
2:2009
Class 1




Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Temperate climate
- > Fusing, interlining material for collar
- > Center front closed with concealed snap buttons
- > **Gas detector loops** on chest at both sides
- > Chest pockets with safety flap and snap buttons
- > **Adjustable cuffs** with plastic snap buttons



Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Double
Gas Loop



Adjustable
Cuffs

Dapro Globe-Tech Pant

PRODUCT CODE: WGTECHP-BL/HVYE*

C4 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2009
Class 1



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Temperate climate
- > **Zipper fly** closure with concealed jeans button
- > Slanted side pockets with hook-and-loop closure
- > Back pockets with safety flap and concealed snap button closure
- > **Cargo pocket** with safety flap and concealed button closure at left hand side leg
- > Tool pocket with safety flap at right hand side leg
- > Elastic waistband for perfect fit
- > Ergonomically **shaped kneepad pockets**
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



Shaped Knee

Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE*

C4-A-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 A2 B1 C1 E1 F1



EN ISO
14116:2015
Index 3



EN ISO
11611:2015
A1+A2 Class 1



EN
1149-5:2008



EN 13034:2005
+A1:2009
Type 6



IEC
61482-2:2018
APC1



EN ISO
20471:2013
+A1:2016





Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof



Features

- > Suitable for Temperate climate
- > Center front closed with **welding flap** with plastic FR snap buttons
- > **Gas detector loop** on chest at both sides
- > Chest pocket with safety flap and snap button closure at both sides
- > Side pockets with hook-and-loop closure
- > **Side vents** with plastic FR snap button closure behind side pockets
- > Back pockets with safety flap and concealed snap button closure
- > **Cargo pocket** with safety flap and concealed double button closure at left hand side leg
- > Tool pocket with safety flap at right hand side leg
- > **Action armpits** for working comfortably above reach
- > **Adjustable elastic waistband** for perfect fit
- > **Adjustable cuffs and hems** with FR plastic snap buttons
- > Ergonomically **shaped kneepad pockets**
- > **Back pleats** for improved ergonomics and ultimate comfort
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Sizes in stock: EU 48-64

Available on request: EU 42-72



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® Two Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs



Action
Armpit

Dapro Kneepads

PRODUCT CODE: WSKNE-EB*

Features

- > Light weight and comfortable
- > Resilient and flexible
- > Ergonomic design



Available in colors:

Electric Blue *EB

Sizes in Stock: One Size

prolux[®]

adapts brilliantly

Prolux reflective striping is specifically developed for industrial **workwear** and **outerwear**.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12° / entrance angle 5°

Composition:

Glass bead 30% / Resin 30% /
Highly durable FR backing cloth
30% / Other materials 10%

NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX[®] Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com

Certificate Standards

EN 471:2003

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This European Standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

See certification information.

EN ISO 11612

See certification information.



SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed polyester material which forms a mass of fiber to trap air in between the outlayer of the garment and your body.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties

SUBZERO[®]
INSULATION

Weight

100 GSM

Warmth



SUBZERO[®]
INSULATION

150 GSM



SUBZERO[®]
INSULATION

250 GSM



SUBZERO[®]
INSULATION


300 GSM



Composition:

100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



OUTERWEAR




Size guide Coverall/Jacket

SIZE	LENHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167
44	34	2XS	158-170
46	36	XS	158-172
48	38	S	161-175
50	40	M	164-178
52	42		168-182
54	44	L	172-186
56	46		174-188
58	48	XL	177-191
60	50		179-193
62	52	2XL	182-196
64	54		183-202
66	56	3XL	184-202
68	58		185-202
70	60	4XL	187-202

Size guide Pants

SIZE	WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85
44	34	2XS	77-88
46	36	XS	80-91
48	38	S	83-94
50	40	M	86-97
52	42		88-100
54	44	L	91-103
56	46		94-106
58	48	XL	96-109
60	50		99-112
62	52	2XL	102-115
64	54		105-118
66	56	3XL	111-124
68	58		117-130
70	60	4XL	123-136



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



YKK® Two Way
Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee

Wearers side



Dapro Access Jacket

PRODUCT CODE: OACCJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue *NB

Oil Black *BL

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop



Adjustable
Cuffs

Dapro Access Jacket

PRODUCT CODE: OACCJ-BL*

C9-1 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue *NB

Oil Black *BL

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop



Adjustable
Cuffs

Dapro Access Jacket

PRODUCT CODE: OACCJ-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Access Jacket

PRODUCT CODE: OACCJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Access Bomber Jacket

PRODUCT CODE: OACCBJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Extra high collar protects against heavy wind and rain
- > Center front closed with concealed zipper and hook-and-loop patches
- > **Inside pocket** with zipper closure at left hand side
- > **Goggle pocket** behind storm flap
- > **Gas detector loop** on chest at left hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Slanted lower pockets with safety flap and concealed zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Access Basic Set

PRODUCT CODE: OACCBS-NB*

C9-1 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Fleece Certification & Fabric Information



EN ISO
13688:2013
(EN 340:2003)



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Center front closed with zipper
- > **Inside pocket** with concealed zipper closure at left hand side
- > Welted lower pockets with concealed zipper closure



Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Access Basic Set

PRODUCT CODE: OACCBS-NB/HVYE*

C9-2 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Fleece Certification & Fabric Information



EN ISO
13688:2013
(EN 340:2003)



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Center front closed with zipper
- > **Inside pocket** with concealed zipper closure at left hand side
- > Welted lower pockets with concealed zipper closure



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Access Basic Set

PRODUCT CODE: OACCBS-NB/HVOR*

C9-2 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Fleece Certification & Fabric Information



EN ISO
13688:2013
(EN 340:2003)



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Center front closed with zipper
- > **Inside pocket** with concealed zipper closure at left hand side
- > Welted lower pockets with concealed zipper closure



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Access Vapor Set

PRODUCT CODE: OACCVS-NB*

C9-1 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

C14 Fleece Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN 14058: 2004



Guardian
Fleece
Flame
Retardant

- 100% Polyester
- Flame-retardant

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Concealed zipper and hook-and-loop closure at center front
- > **Inside pocket** with zipper closure at left hand side
- > Slanted lower welted pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Access Vapor Set

PRODUCT CODE: OACCVS-NB/HVYE*

C9-2 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

C14 Fleece Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN 14058: 2004



Guardian
Fleece
Flame
Retardant

- 100% Polyester
- Flame-retardant

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Concealed zipper and hook-and-loop closure at center front
- > **Inside pocket** with zipper closure at left hand side
- > Slanted lower welted pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Access Vapor Set

PRODUCT CODE: OACCVS-NB/HVOR*

C9-2 Outerwear Jacket & Hood Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

C14 Fleece Certification



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN 14058: 2004



Guardian
Fleece
Flame
Retardant

- 100% Polyester
- Flame-retardant

Features

JACKET

- > **Gas detector loop** on chest at right hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Extra high collar against wind and rain
- > Adjustable bottom hem
- > Fully taped seams
- > **Inside pocket** at left hand side
- > **Goggle pocket** inside behind stormflap
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > 100% waterproof and breathable fabric

HOOD

- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in the collar

FLEECE

- > Concealed zipper and hook-and-loop closure at center front
- > **Inside pocket** with zipper closure at left hand side
- > Slanted lower welted pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL
Available on request: US 2XS-5XL

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features


- > Extra high collar against wind and rain
- > Concealed zipper and hook-and-loop closure at center front
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** in left hand side chest pocket flap
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with blind zipper closure
- > **Gas detector loops** above chest pockets at both sides
- > **Goggle pocket** behind storm flap
- > **Inside pocket** with zipper closure at left hand side
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Fully taped seams
- > Compatible with hood, fleece jacket & bodywarmer
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One
Way Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Extra high collar against wind and rain
- > Concealed zipper and hook-and-loop closure at center front
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** in left hand side chest pocket flap
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with blind zipper closure
- > **Gas detector loops** above chest pockets at both sides
- > **Goggle pocket** behind storm flap
- > **Inside pocket** with zipper closure at left hand side
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Fully taped seams
- > Compatible with hood, fleece jacket & bodywarmer
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE


Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Extra high collar against wind and rain
- > Concealed zipper and hook-and-loop closure at center front
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** in left hand side chest pocket flap
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with blind zipper closure
- > **Gas detector loops** above chest pockets at both sides
- > **Goggle pocket** behind storm flap
- > **Inside pocket** with zipper closure at left hand side
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Fully taped seams
- > Compatible with hood, fleece jacket & bodywarmer
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE


Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Infinity Jacket Reflect

PRODUCT CODE: OINFRJ-HVYE*

C9-3 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Extra high collar against wind and rain
- > Concealed zipper and hook-and-loop closure at center front
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** in left hand side chest pocket
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with blind zipper closure
- > **Gas detector loops** above chest pockets at both sides
- > **Goggle pocket** behind storm flap
- > **Inside pocket** with zipper closure at left hand side
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Fully taped seams
- > Compatible with hood, fleece jacket & bodywarmer
- > Prolux® 50mm & 25mm flame-retardant reflective striping

Available in colors:

High-Visibility Yellow


*HVYE

High-Visibility Orange

*HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Infinity Jacket Reflect

PRODUCT CODE: OINFRJ-HVOR*

C9-3 Jacket Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: Index 1
Inner: Index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Extra high collar against wind and rain
- > Concealed zipper and hook-and-loop closure at center front
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** in left hand side chest pocket
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with blind zipper closure
- > **Gas detector loops** above chest pockets at both sides
- > **Goggle pocket** behind storm flap
- > **Inside pocket** with zipper closure at left hand side
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Fully taped seams
- > Compatible with hood, fleece jacket & bodywarmer
- > Prolux® 50mm & 25mm flame-retardant reflective striping

Available in colors:

High-Visibility Yellow


*HVYE

High-Visibility Orange

*HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE*

C15 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015



EN ISO
14116:2015
Index 3



EN ISO 11611:
2015



EN 1149-5:
2008



EN 13034:2005
+A1:2009



EN 343:2003
+A1:2007



IEC 61482-
2:2009



EN ISO
20471:2013
(EN 471:2013)



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features


- > Center front closed with concealed zipper, rubber puller and hook-and-loop patches
- > **Gas detector loops** on chest at both sides
- > Spacious chest pocket with safety flap and concealed hook-and-loop closure at right hand side
- > **Inside pocket** at left hand side with zipper closure
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Side entry pocket behind lower pockets with concealed zipper closure and rubber pullers
- > **Goggle pocket** behind storm flap
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with detachable hood
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Oil Black High-Visibility Yellow *BL/HVYE

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK One Way
Zipper



Double
Gas Loop



Adjustable
Cuffs

Dapro Volt 2 Jacket

PRODUCT CODE: OVOL2J-NB/HVYE*

C15 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015



EN ISO
14116:2015
Index 3



EN ISO 11611:
2015



EN 1149-5:
2008



EN 13034:2005
+A1:2009



EN 343:2003
+A1:2007



IEC 61482-
2:2009



EN ISO
20471:2013
(EN 471:2013)




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Center front closed with concealed zipper and hook-and-loop patches
- > **Gas detector loops** on chest at both sides
- > Spacious chest pocket with safety flap and concealed hook-and-loop closure at right hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Side entry pocket behind lower pockets with concealed zipper closure
- > **Goggle pocket** behind storm flap
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with detachable hood
- > Compartment for storing hood in collar
- > Compatible with zip-in fleece or bodywarmer
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Volt 2 Jacket

PRODUCT CODE: OVOL2J-NB/HVOR*

C15 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015



EN ISO
14116:2015
Index 3



EN ISO 11611:
2015



EN 1149-5:
2008



EN 13034:2005
+A1:2009



EN 343:2003
+A1:2007



IEC 61482-
2:2009



EN ISO
20471:2013
(EN 471:2013)




Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Center front closed with concealed zipper and hook-and-loop patches
- > **Gas detector loops** on chest at both sides
- > Spacious chest pocket with safety flap and concealed hook-and-loop closure at right hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Side entry pocket behind lower pockets with concealed zipper closure
- > **Goggle pocket** behind storm flap
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with detachable hood
- > Compartment for storing hood in collar
- > Compatible with zip-in fleece or bodywarmer
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Navy Blue

High-Visibility Orange

*NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE*

C19-2 Certification and fabric information



EN ISO
13688:2013



EN ISO
11612:2015
A1 A2 B1 C2 F1



EN ISO 11611:
2015
A1 A2 Class 2



EN 1149-5:
2018



IEC 61482-2:
2018



EN 13034:2005
+A1:2009
Type PB[6]



EN ISO
20471:2013/
A1:2016




Guardian
H2O Softshell
Lifetime
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Chemical proof

Features

- > Center front closed with **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** on chest at both sides
- > Welled vertical chest pockets with concealed zipper closure
- > Welled lower pockets with concealed zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Inside pocket** at both sides with snap button closure
- > Adjustable bottom hem
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > Compatible with Dapro outerwear jackets



Available in colors:

Navy Blue

High-Visibility Yellow

*NB/HVYE

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Double
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB*

C20 Certification



EN ISO
13688:2013
(EN 340:2003)



EN ISO
14115:2015
Index 1



EN 1149-5:
2008



EN 343:2003
+A1:2007

Features

- > Concealed zipper and plastic snap button closure at center front
- > Lower pockets with safety flap and hook-and-loop closure
- > Extra high collar against wind and rain
- > Concealed hood with elastic hem and flap with hook-and-loop closure
- > Ventilation in armpit and back
- > Windcatcher in sleeves
- > Adjustable bottom hem with plastic snap button closure
- > Elastic waist for improved ergonomics
- > Fully taped seams
- > Reflective striping on sleeves and legs

Also available separately:

Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB*

Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB*

Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Dapro Protector Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR*

C9-3 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN
13034:2005
+A1:2009
Type 6



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Including zip-in hood with elastic cord, zipper and hook-and-loop attachment.
- > **Gas detector loop** placed over reflective striping above chest pocket at right hand side
- > 3D chest and upper leg pockets with safety flap, **vision zipper** and hook-and-loop closure
- > **Goggle pocket** behind storm flap with zipper closure
- > Center front with storm flap, two way **vision zipper** and hook-and-loop closure
- > **Adjustable cuffs** with strap and plastic FR snap buttons
- > Elastic waistband for improved fit
- > Side pockets and side vents with safety flap and hook-and-loop closure behind side pockets
- > Abrasion resistant kneepad pockets
- > Flaps with zipper and velcro at the ankle to easily access while wearing shoes
- > Prolux® 50mm & 25mm flame-retardant reflective striping



Available in colors:

High-Visibility Orange *HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Waterproof



YKK® Two Way
Zipper



Single
Gas Loop



Lower Arm
Striping



Adjustable
Cuffs

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB*

C9-1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features


- > Center front closed with concealed zipper and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Identity card holder** behind chest pocket safety flap
- > **Inside pocket** at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > SubZero® 150 GSM flame-retardant insulation
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > Certification only valid when worn with C9 outerwear jacket

Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVYE*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Center front closed with concealed zipper and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Identity card holder** behind chest pocket safety flap
- > **Inside pocket** at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > SubZero® 150 GSM flame-retardant insulation
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop

Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVOR*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Center front closed with concealed zipper and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Identity card holder** behind chest pocket safety flap
- > **Inside pocket** at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > SubZero® 150 GSM flame-retardant insulation
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



Single
Gas Loop

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVYE*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Elastic braces with buckle closure
- > Sides closed with concealed snap buttons
- > Chest pocket with concealed hook-and-loop closure at center front
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Elastic waistband for improved fit
- > Prolux® 50mm & flame-retardant reflective striping
- > Bartack reinforcement at stress points

Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof

Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVOR*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > Elastic braces with buckle closure
- > Sides closed with concealed snap buttons
- > Chest pocket with concealed hook-and-loop closure at center front
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points

Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof

Dapro Protector Pant

PRODUCT CODE: OPROP-NB*

C9-1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2003



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > 5 Beltloops
- > Center front closure with fly zipper and button closure
- > Side pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVYE*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > 5 Beltloops
- > Center front closure with fly zipper and button closure
- > Side pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof

Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVOR*

C9-2 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2018



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



EN ISO
20471:2013
+A1:2016



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > 5 Beltloops
- > Center front closure with fly zipper and button closure
- > Side pockets with safety flap and hook-and-loop closure
- > Elastic waistband for improved fit
- > Prolux® 50mm flame-retardant reflective striping
- > Bartack reinforcement at stress points



Available in colors:

Navy Blue High-Visibility Yellow *NB/HVYE

Navy Blue High-Visibility Orange *NB/HVOR



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL

Dapro Basic Fleece

PRODUCT CODE: OBASF-BL*

Certification and fabric information




EN ISO
13688:2013
(EN 340:2003)



Guardian
Fleece • 100% Guardian

Features

- > **Inside pocket** with zipper closure at left hand side
- > Center front closed with zipper
- > **Goggle pocket** behind storm flap
- > Slanted lower welted pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Oil Black *BL

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



YKK® One Way
Zipper

Dapro Vapor Fleece

PRODUCT CODE: OVAPF-NB*

C14 Certification and fabric information



EN ISO 13688:2013
(EN 340:2003)

EN ISO 14116:2015
Outer: index 1
Inner: index 3

EN 14058: 2004




Guardian
Fleece
Flame
Retardant

- 100% Guardian
- Flame-retardant

Features

- > **Inside pocket** with zipper closure at left hand side
- > Center front closed with concealed zipper and hook-and-loop closure
- > Welted lower pockets with safety flap and zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-NB*

C11-A Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN 1
149-5:2008



IEC
61482-2:2009
ATPV5.1cal/cm2




Guardian
Fleece
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static

Features

- > Center front zipper closure with safety flap
- > **Inside pocket** at left hand side
- > Welted slanted lower pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue *NB

Royal Blue *RB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-RB*

C11-A Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



IEC
61482-2:2009
ATPV5.1cal/cm2




Guardian
Fleece
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static

Features

- > Center front zipper closure with safety flap
- > **Inside pocket** at left hand side
- > Welted slanted lower pockets with zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:

Navy Blue *NB

Royal Blue *RB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Extensive
Bartacks



5 Thread
Safety Stitch



YKK® One Way
Zipper

Dapro C9 Hood

PRODUCT CODE: OC9HO-NB*

C9 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2008



EN 13034:2005
+A1:2009
type PB[G]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > 100% waterproof and breathable fabric
- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in outerwear jacket collar
- > Certification only valid when worn with C9 outerwear jacket

Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Dapro C9 Hood over Hardhat

PRODUCT CODE: OC9HH-NB*

C9 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)

EN ISO
14116:2015
Outer: index 1
Inner: index 3



EN
1149-5:2008



EN 13034:2005
+A1:2009
type PB[6]



EN
343:2019



Guardian
H2O
Lifetime
Flame
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish

Features

- > 100% waterproof and breathable fabric
- > Snap button closure mid-front
- > Attaches easily with snap buttons and zipper
- > Adjustable with an elastic cord puller
- > Foldable and stowable in outerwear jacket collar
- > Designed to be worn with or without a standard model hardhat
- > Certification only valid when worn with C9 outerwear jacket



Available in colors:

Navy Blue *NB

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL

Dapro Offshore Bag

PRODUCT CODE: SOFFT BAG-BL*

Features

- > Robust and water-resistant offshore bag
- > Backpack function
- > Ergonomic adjustable shoulder straps
- > Hard flexible corner protection
- > Enforced water resistant zippers
- > A large protected namecard holder
- > Extra zipper pocket for covering shoulder straps
- > Handles on both ends
- > Padded shoulder strap for better comfort
- > Size: 60 x 30 x 30cm



Available in colors:

Black *BL

prolux[®]

adapts brilliantly

Prolux reflective striping is specifically developed for industrial **workwear** and **outerwear**.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12° / entrance angle 5°

Composition:

Glass bead 30% / Resin 30% /
Highly durable FR backing cloth
30% / Other materials 10%

NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX[®] Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com

Certificate Standards

EN 471:2003

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This European Standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

See certification information.

EN ISO 11612

See certification information.



SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed polyester material which forms a mass of fiber to trap air in between the outerlayer of the garment and your body.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties



Weight

100 GSM

150 GSM

250 GSM

300 GSM

Warmth



Composition:

100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



FOOTWEAR

Size guide Footwear


SHOE LENGTHS (A)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	4½	5½	6	6½	7½	8½	9	10	11	12	13
USA	3½	4	5	5½	6½	7	7½	8½	9½	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315

SHOE WIDTHS (B)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122

Width (B)



Length (A)

Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measure in mm.

When establishing your size, base it on your largest measurement.

Iconography



Anti-slip



Anti-Shock
Heel



Breathable
Leather



Protective
Toe Cap



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Anti
Perforation
Midsole



Antistatic
Sole

Dapro 3D Premium Comfort Insole

PRODUCT CODE: FHINS-NB*

Features

- > This Dapro ergonomic insole is comfortable and suitable for all Dapro safety shoes / work shoes.



Available in colors:

Navy Blue *NB

Sizes in stock: EU 36-48

Available on request: EU 35

Dapro Baron S3 C

PRODUCT CODE: FBARS3C-BL/BL*

Certification and Information

VR1S3C	Oil / Gas	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	✓
53 SRC	Abrasion	★★★★★		

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar

Available in colors:

Black *BL/BL

Sizes in stock: EU 35-48



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BL/BL*

Certification and Information

VR2S3C					
CE	Oil / Gas	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	★★★★★	✓
53 SRC	Abrasion	★★★★★			

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar

Available in colors:

Black *BL/BL

Sizes in stock: EU 35-48



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL*

Certification and Information

VR2WS3C	Oil / Gas	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
EN ISO 20345: 2011 S3 SRC				

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar
- > Protective leather flap against welding sparks
- > Hook-and-loop closure

Available in colors:

Black *BL/BL

Sizes in stock: EU 35-48



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL*

Certification and Information

MR2S3C					
CE	Oil / Gas	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant grain leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar

Available in colors:

Black *BL/BL

Sizes in stock: EU 35-46

Available on request: EU 47-50



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Dauntless S3 C

PRODUCT CODE: FDAUS3C-BL/BL*

Certification and Information

VR3S3C	Oil / Gas	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
EN ISO 20345: 2011 S3 SRC				

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar



Available in colors:

Black *BL/BL

Sizes in stock: EU 37-46

Available on request: EU 35-36, 47-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Intrepid S3 C

PRODUCT CODE: FINTS3C-BL/BL*

Certification and Information

VR4S3C	Oil / Gas	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	✓
53 SRC	Abrasion	★★★★★		

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > PU bumpcap / scuff cap
- > Reinforced leather pull up loops for easier instep

Available in colors:

Black *BL/BL

Sizes in stock: EU 38-48

Available on request: EU 35-37, 49-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Elements 4 S3 C

PRODUCT CODE: FELE4S3C-BL/BL*

Certification and Information

MR4S3C					
CE	Oil / Gas	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant grain leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > PU bumpcap / scuff cap
- > Reinforced leather pull up loops for easier instep

Available in colors:

Black *BL/BL

Sizes in stock: EU 38-46

Available on request: EU 35-37, 47-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL*

Certification and Information

MR4CS3C	Oil / Gas	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
EN ISO 20345: 2011 S3 SRC				

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Reinforced leather pull up loops for easier instep

Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 39-45

Available on request: EU 35-38, 46-49



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR*

Certification and Information

MR4CS3C					
CE	Oil / Gas	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Reinforced leather pull up loops for easier instep

Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 39-45

Available on request: EU 35-38, 46-49



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Canyon C S3 C

PRODUCT CODE: FCANCS3C-BL/BL*

Certification and Information

HR2CS3C					
CE	Oil / Gas	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	✓
EN ISO 20345: 2011	Abrasion	★★★★★			
S3 SRC HR0					

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile Rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Abrasion resistant material used in the collar



Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 36-47

Available on request: EU 35, 48-49



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Canyon C S3 C

PRODUCT CODE: FCANCS3C-BR/BR*

Certification and Information

HR2CS3C	Oil / Gas	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
	EN ISO 20345: 2011 S3 SRC HR0			

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile Rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Abrasion resistant material used in the collar




Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 39-48

Available on request: EU 35-38, 49



Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL*

Certification and Information

HR4CS3C	Oil / Gas	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	✓
S3 SRC HR0	Abrasion	★★★★★		

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile Rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Reinforced leather pull up loops for easier instep



Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 39-45

Available on request: EU 35-38, 46-49



Anti-Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BR/BR*

Certification and Information

HR4CS3C	Oil / Gas	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
EN ISO 20345: 2011 S3 SRC HR0				

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile Rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium comfort insole
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Reinforced leather pull up loops for easier instep



Available in colors:

Black *BL/BL Brown *BR/BR

Sizes in stock: EU 40-45

Available on request: EU 35-39, 46-49



Dapro Dauntless S3 C SubZero® Fur

PRODUCT CODE: FDAUS3CS-BL/BL*

Certification and Information

MR3FS3C	Oil / Gas	★★★★★	Traction	★★★★★	SUBZER INSULATION Fur
CE	Heat	★★★★★	Comfort	★★★★★	
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	★★★★★	
53 SRC	Abrasion	★★★★★			

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > SubZero® Fur lining
- > PU bumpcap / scuff cap
- > Abrasion resistant material used in the collar

Available in colors:

Black *BL/BL

Sizes in stock: EU 37-46

Available on request: EU 35-36, 47-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Intrepid S3 C SubZero® Fur

PRODUCT CODE: FINTS3CS-BL/BL*

Certification and Information

VR3F53C	Oil / Gas	★★★★★	Traction	★★★★★	SUBZER INSULATION Fur
 <small>EN ISO 20345: 2011 S3 SRC</small>	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	
	Abrasion	★★★★★			

Features

- > Water resistant leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > Moulded EVA insole
- > SubZero® Fur lining
- > PU bumpcap / scuff cap
- > Reinforced leather pull up loops for easier instep

Available in colors:

Black *BL/BL

Sizes in stock: EU 37-48

Available on request: EU 35-36, 49-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Elements 4 S3 C Subzero® Fur

PRODUCT CODE: FELE4S3CS-BL/BL*

Certification and Information

MR4FS3C	Oil / Gas	★★★★★	Traction	★★★★★	SUBZER INSULATION Fur
 <small>EN ISO 20345: 2011 S3 SRC</small>	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	
	Abrasion	★★★★★			

Features

- > Water resistant grain leather
- > Steel toe cap
- > Anti-perforation steel mid plate
- > PU/PU light weight sole for comfort
- > Heat resistant sole up to 160 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > SubZero® Fur lining
- > PU bumpcap / scuff cap
- > 3D Premium insulated comfort insole
- > Reinforced leather pull up loops for easier instep



Available in colors:

Black *BL/BL

Sizes in stock: EU 39-47

Available on request: EU 35-38, 48-50



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap



Dapro Canyon C S3 C Subzero® T400 Fur

PRODUCT CODE: FCANCS3CT4S-BL/BL*

Certification and Information

HR2CS3T4C
CE
EN ISO 20345: 2011
S3 SRC HR0

Oil / Gas
Heat
Chemical
Abrasion



Traction
Comfort
Non-marking



SUBZER
INSULATION
**400 GSM
Fur**

SUBZER
-30°C

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium insulated comfort insole
- > SubZero® Insulation
- > SubZero® Fur lining
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Abrasion resistant material used in the collar



Available in colors:

Black *BL/BL

Sizes in stock: EU 39-45

Available on request: EU 35-38, 46-49



Anti
Perforation
Midsole



Antistatic
Sole



Anti-slip
Sole



Anti-Shock
Heel



Water
Resistant
Leather



Hydrocarbon
Resistant
Sole



Breathable
Leather



Protective
Toe Cap

Dapro Rigger C S3 C SubZero® T400 Fur

PRODUCT CODE: FRIGCS3CT4S-BL/BL*

Certification and Information

HR4CS3T4C	Oil / Gas	★★★★★	Traction	★★★★★	SUBZER INSULATION 400 GSM Fur
 <small>EN ISO 20345: 2011 S3 SRC HR0</small>	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	
	Abrasion	★★★★★			

Features

- > Water resistant grain leather
- > Composite toe cap
- > Anti-perforation textile mid plate
- > Nitrile rubber sole for durability and comfort
- > Heat resistant sole up to 300 degrees Celsius
- > Oil resistant sole
- > Slip resistant as per SRC standard
- > Antistatic sole
- > Energy absorption in the heel
- > 3D Premium insulated comfort insole
- > SubZero® Insulation
- > SubZero® Fur lining
- > Abrasion resistant cuff nose / scuff cap made of composite leather
- > Reinforced leather pull up loops for easier instep



Available in colors:

Black *BL/BL

Sizes in stock: EU 39-45

Available on request: EU 35-38, 46-49



SUBZERO[®]

INSULATION

SubZero insulation is an intermeshed polyester material which forms a mass of fiber to trap air in between the outlayer of the garment and your body.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties



Weight

100 GSM

Warmth



150 GSM



250 GSM



300 GSM



Composition: 100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



www.subzero-insulation.com



BASELAYER




Size guide Coverall/Jacket

SIZE	LENGHT (A)	CHEST (B)	WAIST (C)
42 32 3XS	158-167	76-96	70-90
44 34 2XS	158-170	78-98	71-91
46 36 XS	158-172	80-100	73-93
48 38 S	161-175	82-102	74-94
50 40 M	164-178	84-104	76-96
52 42	168-182	86-106	77-97
54 44 L	172-186	87-107	79-99
56 46	174-188	89-109	80-100
58 48 XL	177-191	91-111	82-102
60 50	179-193	93-113	83-103
62 52 2XL	182-196	94-114	85-105
64 54	183-202	96-116	88-108
66 56 3XL	184-202	97-117	91-111
68 58	185-202	99-119	94-114
70 60 4XL	187-202	100-120	96-116

Size guide Pants

SIZE	WAIST (C)	HIP (D)	INSEAM (E)
42 32 3XS	74-85	87-98	70-76
44 34 2XS	77-88	89-100	71-77
46 36 XS	80-91	91-102	72-78
48 38 S	83-94	93-104	74-80
50 40 M	86-97	95-106	75-81
52 42	88-100	97-109	76-82
54 44 L	91-103	100-112	79-85
56 46	94-106	103-115	80-86
58 48 XL	96-109	105-118	81-87
60 50	99-112	108-121	82-88
62 52 2XL	102-115	111-124	83-89
64 54	105-118	114-127	84-90
66 56 3XL	111-124	117-130	84-90
68 58	117-130	120-133	84-90
70 60 4XL	123-136	123-136	84-90



Iconography



Extensive
Bartacks



5 Thread
Safety Stitch



Breathable
Fabric



Waterproof



YKK® One Way
Zipper



YKK® Two Way
Zipper



Single
Gas Loop



Double
Gas Loop



Lower Arm
Striping



Adjustable
Hems/Cuffs




Action
Armpit



Shaped Knee

Wearers side



Dapro Balaclava

PRODUCT CODE: UBAL-BL*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
AX
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Ultra light weight (ULW)



Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:

Black *BL

Sizes in Stock: One Size

Dapro Balaclava II

PRODUCT CODE: UBAL2-BL*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
AX
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Ultra light weight (ULW)



Features

- > Unisex, one size fits all
- > Breathable and stretchable fabric
- > Comfortable fit
- > Adjustable mouth piece for easy access for usage of respirators

Available in colors:

Black *BL

Sizes in Stock: One Size



Dapro Polar Balaclava

PRODUCT CODE: UPOLBAL-BL

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
AX
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Ultra light weight (ULW)



Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric
- > Adjustable mouth piece for easy access for usage of respirators
- > Double insulating fabric layer

Available in colors:

Black *BL

Sizes in Stock: One Size



Dapro Polar Balaclava II

PRODUCT CODE: UPOLBAL2-BL*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
AX
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static
- Ultra light weight (ULW)



Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric
- > Adjustable mouth piece for easy access for usage of respirators
- > Double insulating fabric layer

Available in colors:

Black *BL

Sizes in Stock: One Size



Dapro Frost Multi-Use Neck Warmer

PRODUCT CODE: UFRON-BL

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Unisex, one size fits all

Available in colors:

Oil Black *BL

Sizes in stock: One Size



Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:

Oil Black *BL

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric

Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL*

C1 Certification and fabric information



EN ISO
13688:2013
(EN 340:2003)



EN ISO
11612:2015
A1 B1 C1



EN ISO
14116:2015
Index 3



EN
1149-5:2008



Guardian
Inherent
Flame
Retardant

- 99% Guardian / 1% Anti-static
- Flame-retardant and Anti-static



Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:

Oil Black *BL

Sizes in stock: US S-3XL

Available on request: US 2XS-5XL



Breathable
Fabric



EYEWEAR

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA*

Certification



CE DAP EN 166 F CE 5-3.1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:

Navy blue Dark Lens *NB/DA Navy blue Clear Lens *NB/CL

Sizes in stock: One Size

Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL*

Certification



CE DAP EN 166 F CE 5-3.1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:

Navy blue Dark Lens *NB/DA Navy blue Clear Lens *NB/CL

Sizes in stock: One Size



*Your safety is
our number one **priority**,
Your **life** depends on it.*

